

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Mice immunised with:




FIG. 1

85163059-092998

Dose of transferred
sensitised macrophages




FIG. 2

09163089-092998




FIG. 3

Mice immunised
macrophages
sensitised with:




FIG. 4

Ox-M-FP immunized mice




FIG. 5

066250-68079769




FIG. 6

Mouse strain cells
transferred to:




FIG. 7

09153089-092999
065250-680376

555260-6335760




FIG. 8




FIG. 9




FIG. 10

**Mice immunised
with: Ox-M-FP**

**Normal mice
immunised with:**





FIG. 11

09163089-092498

Mice immunised
with: SIINFEKL

normal mice

gal o/o mice



CTLp Frequency (1/)

FIG. 12

865250-6809169

Mice immunised with:
Macrophages+M-FP

normal mice

gal o/o mice

Mice immunised with:
Macrophages+M-FP-
in the presence of:

normal mouse serum

gal o/o serum




FIG. 13




FIG. 14